



Client: PW

Certified: 08/04/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	5-Amino-1MQ	Form	None
Batch	BATCH-0982	Labeled Qty	50 mg
Cap Color	Orange	Crimp Color	Silver

TEST RESULTS



	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.448%
Net Content	(~50mg)	55.12 mg
Identity Confirmation (LC-MS)	(5-Amino-1MQ)	5-Amino-1MQ
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandival
Lab Director



koveralabs.com/verify

Report#: KVR-2026-B6CB4C-S437
Access Code: D0HFFQ4