



Client: PW

Certified: 08/01/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Retatrutide	Form	Lyophilized powder (acetate)
Batch	BATCH-30032	Labeled Qty	30 mg
Cap Color	Black	Crimp Color	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.326%
Net Content	(~30mg)	30.52 mg
Identity Confirmation (LC-MS)	(Retatrutide)	Retatrutide
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-BF15F8-S488
Access Code: A8GWWFQ